



Poor Urban Waste Management in Nigeria: A Neglected Public Health Emergency Requiring Community–State Co-Production

Paul Hassan Ilegbusi^{1,2,3}, Jonathan Amauche Ajah⁴, Taoheed Abiola Olanrewaju⁵, Adekemi Mercy Adeleye⁶, Oladiran Isaiah Olagunju⁷, Bukola Bosede Ogunro-Abiola^{8,9}, Omowumi Oluwabukola Okeya¹, Olatoye Lola Ololajulo⁹ and Rotimi Anne Ogunniyi¹⁰

¹Community Health Department, Ondo State College of Health Technology, Akure, Nigeria

²Centre for Research Innovation Development and Entrepreneurship, United Kingdom

³College of Community Health, Wesley University Ondo, Nigeria

⁴School of Public Health, University of Port Harcourt, Nigeria

⁵Community Health Department, Lead City University, Ibadan, Nigeria

⁶Community Health Department, North South College of Health Technology, Ajase Ipo, Kwara State, Nigeria

⁷School of Community Health, Obafemi Awolowo University Teaching Hospital, Ile-Ife, Nigeria

⁸Department of Sociology, Faculty of Social Sciences, Federal University Oye Ekiti, Ekiti State, Nigeria

⁹Ondo State College of Health Technology, Akure, Nigeria

¹⁰Ekiti State College of Health Sciences, Ijero-Ekiti, Ekiti State, Nigeria

*Corresponding author: Paul Hassan Ilegbusi, Community Health Department, Centre for Research Innovation Development and Entrepreneurship, College of Community Health, Nigeria, United Kingdom. <https://orcid.org/0000-0003-3644-0553>

To Cite This article: Paul Hassan Ilegbusi, Jonathan Amauche Ajah, Taoheed Abiola Olanrewaju, Adekemi Mercy Adeleye et al, Poor Urban Waste Management in Nigeria: A Neglected Public Health Emergency Requiring Community–State Co-Production. *Am J Biomed Sci & Res.* 2026 30(1) *AJBSR.MS.ID.003875*,

DOI: [10.34297/AJBSR.2026.30.003875](https://doi.org/10.34297/AJBSR.2026.30.003875)

Received: 📅 January 30, 2026; Published: 📅 February 03, 2026

Abstract

Poor solid waste management remains one of the most persistent yet under-prioritised environmental health threats in rapidly urbanising Nigerian cities. Evidence from peri-urban communities such as Danjuma in Akure, Ondo State, demonstrates that indiscriminate dumping, irregular waste collection, and open burning are strongly associated with vector-borne, water-borne, and respiratory diseases, alongside psychosocial distress and environmental degradation. Despite high public awareness of sanitation regulations, structural constraints, including poverty, weak municipal capacity, and limited enforcement, continue to undermine safe disposal practices. This opinion paper argues that waste mismanagement in Nigerian urban settlements should be reframed as a public health emergency rather than merely an environmental nuisance. Drawing on environmental health theory and recent empirical evidence, the paper advocates a shift from technocratic waste control models to a community–state co-production framework that integrates primary health care, local governance, and community participation. Policy recommendations include decentralised waste infrastructure, subsidised household collection, behavioural risk communication, and institutional accountability mechanisms. Without urgent multisectoral action, preventable disease burdens linked to poor sanitation will continue to erode urban health equity and sustainable development gains.

Keywords: Urban waste management, Public health emergency, Environmental health, Community-state co-production

Introduction

Solid waste management has emerged as a defining environmental health challenge in Low- and Middle-Income Countries (LMICs), particularly in fast-growing urban and peri-urban settlements where infrastructure expansion has lagged

behind population growth. Nigeria alone generates over 30 million tonnes of solid waste annually, much of which remains uncollected or improperly disposed, creating breeding grounds for disease vectors and rodents, contaminating water sources, and exposing residents to toxic emissions from open burning [4,13].



Findings from Danjuma Community in Akure, Ondo State, illustrate this reality vividly. Although most residents are aware of sanitation regulations, frequent exposure to uncollected waste persists, with malaria, diarrhoea, and typhoid fever dominating reported morbidities, alongside flooding and noxious odours that degrade quality of life [10]. These patterns mirror national and regional evidence linking poor waste disposal to communicable disease transmission, respiratory illness, and psychosocial stress [8,11,12].

This paper contends that Nigeria's urban waste crisis should be recognised as a systemic public health failure, rooted not only in individual behaviour but in governance deficits, socio-economic inequities, and weak integration of environmental health into primary health care planning.

Waste Disposal as a Social Determinant of Health

Environmental Health Theory posits that sanitation, water safety, and air quality are foundational determinants of population health [2]. In Danjuma, unregulated dumping and open burning created ecological conditions favourable to mosquito breeding, faecal contamination, and air pollution, thereby reinforcing pathways for malaria, enteric infections, and respiratory disease [10]. Similar associations have been documented across urban Nigeria and other LMICs [3].

However, focusing solely on environmental exposure obscures the structural drivers of unsafe disposal of solid wastes. Low income, limited education, and irregular municipal services constrain households' capacity to engage in formal waste collection, compelling reliance on informal dumping and burning [1]. These factors position waste management within the broader framework of social determinants of health, where poverty, governance, and urban planning failures translate into avoidable disease risks.

Limitations of Current Waste Governance Models

Nigeria's waste management systems remain largely centralised, enforcement-oriented, and weakly integrated with health sector planning. Evidence from Danjuma indicates that most residents perceive government response as inadequate, citing irregular collection, lack of bins, and poor regulation enforcement [10]. Similar critiques have been raised nationally, highlighting corruption, under-financing, and fragmented institutional mandates [5,6].

Moreover, current approaches rarely incorporate behavioural change communication or community ownership, despite strong willingness among residents to participate in clean-up initiatives and local sanitation activities [10]. International evidence suggests that purely technocratic waste solutions, such as contractor-based collection without social mobilization, fail to achieve sustained environmental hygiene in low-resource settings [9].

Towards Community-State Co-Production of Sanitation

A more sustainable paradigm is co-production, in which communities and public institutions jointly design, implement, and monitor waste services. Community-based sanitation committees, supported by local governments and primary health care systems, can facilitate routine clean-ups, risk communication, and reporting of illegal dumping, thereby strengthening social accountability [7].

Integrating Environmental Health Officers (EHOs) and Community Health Practitioners (CHPs) into waste surveillance could further enhance early detection of sanitation-related disease outbreaks, aligning with WHO recommendations on intersectoral action for health [14]. Subsidised household collection schemes and decentralised transfer stations would address affordability barriers, while investment in recycling and composting could generate local employment and reduce landfill dependence [9].

Policy and Practice Implications

Reframing poor waste disposal as a public health emergency demands action across four domains:

1. Environmental sanitation indicators should be incorporated into routine PHC surveillance and community outreach.
2. Municipal waste agencies require regular, adequate, and stable funding, transparent contracting, and performance monitoring.
3. Participatory sanitation structures should be institutionalised, not treated as ad-hoc volunteering efforts.
4. Continuous education on disease pathways, not just legal compliance, is essential to sustain safe practices.

Conclusion

The evidence from Danjuma Community, supported by broader Nigerian and global literature, underscores that poor waste disposal is not merely an aesthetic or environmental concern but a driver of preventable morbidity, social inequity, and urban vulnerability. Addressing this challenge requires a paradigm shift from fragmented waste control to integrated, community-centred public health governance. Without such reform, Nigeria's urban health gains will remain undermined by sanitation-related disease burdens that are both predictable and preventable.

Acknowledgement

The authors appreciate all researchers whose works have been cited in this paper.

Conflict of Interest

The authors declare that there is no conflict of interest as far as this paper is concerned.

References

1. Afolabi T, Ojo K, Olatunde M (2022) Socio-economic determinants of household waste disposal practices in urban communities. *Journal of Environmental Science and Policy* 19(3): 211-223.
2. Ajani OA, Fakunle SO (2021) Cultural dimensions of environmental problems: A critical overview of solid waste generation and management in Nigeria. *American International Journal of Multidisciplinary Scientific Research* 8(1): 1-15.
3. Akinola OB, Olatunji DA, Ogunbode O (2022) Public health risks of poor waste management in Nigeria. *African Journal of Environmental Health* 14(2): 35-47.
4. Ayesha S, John N, Wadha A (2022) An overview of the Environmental pollution and health effects associated with waste landfilling and open dumping. *Environ Sci Pollut Res Int* 29(39): 58514-58534.
5. Bamidele AH, Amin A, Alabi A (2022) Strategies of environmental protection policies on sustainable waste management systems. *Journal of Administrative Science* 21(1): 249-274.
6. Bello L, Omotayo R (2023) Challenges of municipal solid waste management in Nigeria. *Environmental Policy Review* 17(2): 102-118.
7. Ezeokoli J, Abah P (2024) Community-led environmental management as a tool for sustainable sanitation. *Journal of Urban Health and Development* 12(4): 233-247.
8. Giovanni V, Valerie B, Thomas C, Kate M, Terry T, et al. (2021) Municipal solid waste management and adverse health outcomes: A systematic review. *Int J Environ Res Public Health* 18(8): 4331.
9. Hope O, Dzurlkarian D, Opeyemi MA, Salfarina S, Afusat Jagun Jubril, et al. (2023) Waste management practices in developing countries: A socio-economic perspective. *Environ Sci Pollut Res Int* 30(55): 11664-11675.
10. Ilegbusi PH, Yaya AO, Dunapo CS, Adebisi VA, Olagunju OI, et al. (2025) Effects of poor waste disposal on the health and well-being of people living in Danjuma Community, Akure, Ondo State. *International Journal of Advancing Research, Innovation and Entrepreneurship* 1(3): 76-82.
11. Jerumeh TR, Igbinaloloro JI, Akinbinu TO (2022) Waste disposal practices and health risks in low-income settlements. *International Journal of Environmental Research and Public Health* 28(15).
12. Jaya B (2024) Effects of improper waste disposal on physical and emotional well-being. *Waste Management and Treatment* 26(38): 201-213.
13. Oyedele FA, Adebola OO (2022) Impact of indiscriminate solid waste disposal on human health. *International Journal of Sciences: Basic and Applied Research* 162(2): 122-134.
14. World Health Organization (2023). *Intersectoral action for health: Environmental health and urban sanitation*. WHO.